



Model 525 Rewind

Product Description/ Functionality:

The Bunch 525 Rewind is available in several configurations for use in-line with high speed continuous forms printers and presses.

Product Advantages:

- Economical Design increases output and reduces operator interventions.
- Pneumatic Roll Lift included in the design of the unwind.
- Wide range of paper weights accepted.
- Units available with speeds up to 1000 feet per minute.
- Portability package (optional).
- Direct Interface Capability to printers. (optional)
- Designed for Tight Web printers and presses. The unit automatically adjusts to a variable range of speed conditions without loss of paper tension control.
- Designed specifically for use with “tight web” equipment, this rewind utilized proven technology producing exceptionally re-wound rolls of paper.
- Air Shaft

**Rugged, Durable, and
Dependable
Operation**

B. Bunch Co., Inc.

9619 N. 21st Dr.

Phoenix, AZ

85021-1895

Telephone

602.997.6452

Fax

602.997.7266

E-mail

sales@bbunch.com

Website

www.bbunch.com



B. B U N C H C O. I N C.

BUNCH REWIND UNITS

MODEL 525	WEB WIDTH	ROLL DIAMETER
20/24	20-1/2"	24"
20/40	20-1/2"	40"
20/50	20-1/2"	50"
26/24	26-1/2"	24"
26/40	26-1/2"	40"
26/50	26-1/2"	50"
32/40	32-1/2"	40"
32/50	32-1/2"	50"

General Specifications

Roll Lift Mechanism
Rewinds Face In and Face Out
Perf Ironers to Prevent Slitter/Perf Build-up
Stream Separator
Air Shaft for 3" I.D. Cores
Maximum Operating Speed up to 1000 FPM
Drive and Controls, 220V, 3 Phase, 60 Hz
Units Require Minimum 90 PSI Dry, Filtered Air
Mechanical/Electrical Connection to the press is not required.

specifications subject to change